

"installed turbine" power generating

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar

Results 1 - 10 of about 52 for power generating "installed turbine". (0.13 seconds)

Navier-Stokes Simulations of the NREL Combined Experiment

All articles Recent articles

Phase II Rotor - group of 2 »

EPN Duque, CP van Dam, S Hughes - Proceedings 1999 ASME Wind Energy Symposium, 37th AIAA ..., 1999 pdf.aiaa.org

... pressure, flow visualization, meteorological and loads data from this field installed turbine. ... the transmission and electrical power generation equipment. ...

Cited by 17 - Web Search - BL Direct

Experimental data for two different alternator configurations in asolar Brayton power system aroup of 3 »

LS Mason, RK Shaltens, WD Espinosa, NLR Center, OH ... - Energy Conversion Engineering Conference, 1997. IECEC-97. ... - ieeexplore.ieee.org

... When the proper thermal conditions were achieved, the TAC was motored to

self-sustaining operation and commanded to a nominal run speed for power generation. ...

Cited by 6 - Web Search - BL Direct

Frequency domain analysis of flicker produced by wind energy conversions systems

H Amaris, C Vilar, J Usaola, JL Rodriguez - Harmonics And Quality of Power, 1998. Proceedings. 8th ..., 1998 ieeexplore.ieee.org

... Quality, Simulation I. INTRODUCTION Generation of electric ... This torque oscillations produces power and voltage ... networks where the installed turbine capacity is ... Cited by 7 - Web Search

Modeling the Feasibility of Using Fuel Cells and Hydrogen Internal Combustion Engines in Remote ... - group of 4 »

J Cotrell, W Pratt - WINDPOWER 2003 Conference and Exposition. May - osti.gov ... under which conditions wind turbines and PV systems can feasibly power electrolyzers to generate and store hydrogen for remote power generation using fuel ... Cited by 3 - View as HTML - Web Search

... /inverter system for windpower generation utilizing a new 600 Amp, 1200 volt intelligent IGBT **power** ... - group of 3 »

J Donlon, E Motto, G Majumdar, S Mori, W Taylor, P ... - Industry Applications Society Annual Meeting, 1994., ..., 1994 - ieeexplore ieee.org

... technological progress that helps to reduce the installed turbine cost is ... POWER GENERATION SYSTEM The development of the Insulated Gate Bipolar Transistor (IGBT ... Cited by 2 - Web Search - BL Direct

Optimal planning of wind energy conversion systems over an energy scenario - group of 2 »

S Roy - Energy Conversion, IEEE Transactions on, 1997 - ieeexplore.ieee.org ... in an attempt to extract large amounts of energy from each installed turbine. ... and approved by the IEEE Energy Development and Power Generation Committee of the ...

Cited by 2 - Web Search - BL Direct

NUMERICAL PREDICTIONS OF WIND TURBINE POWER AND AERODYNAMIC LOADS FOR THE NREL PHASE II COMBINED ... - group of 2 »

EPN Duque, W Johnson - AIAA Paper, 2000 - ses.nau.edu

... flow visualization, meteorological and loads data from this field installed turbine. ...

that contains the transmission and electrical **power generation** equipment. ... Cited by 1 - View as HTML - Web Search

Comparing Statewide Economic Impacts of New Generations from Wind, Coal, and Natural Gas in Arizona, ... - group of 2 »

S Tegen - 2005 - nrel.gov

... The methodology for this research can be adapted to other contexts for determining economic effects of new **power generation** in other states and regions. ... Cited by 1 - View as HTML - Web Search

Global experience curves for wind farms - group of 4 »

M Junginger, A Faaij, WC Turkenburg - Energy Policy, 2005 - econ.geog.uu.nl ... of new materials for blades that grew larger and larger, development of **power** ... Yet, these observa- tions do not directly indicate that the **generation** costs of ... Cited by 17 - View as HTML - Web Search

Flexible power generation from the tides - group of 2 »

C Engineers, TL Shaw, S Limited - renewable energy - extenza-eps.com ... in Table 1 and corresponds to maximum **power** output ... m tide cycle and the length of the **generating** period ... corresponds to use of the full **installed turbine** capacity ... Web Search

Gooooogle ▶

Result Page: 1 2 3 4 5 6

<u>Next</u>

power generating "installed turbine"


Search

Google Home - About Google - About Google Scholar

©2006 Google



"manufacture of a turbine" -2006 -2005 -200



Scholar Results 1 - 1 of 1 for "manufacture of a turbine" -2006 -2005 -2004 -2003 -2002 -2001 -2000. (0.10

Tip: Try removing quotes from your search to get more results.

<u>Eléments pour une analyse économique de la responsabilité du fait</u> <u>All articles Recent articles des produits</u>

PE Charpentier - The GENEVA Papers on Risk and Insurance-Theory, 1978 - Springer ... I can say that if the forger of a metal used in the **manufacture of a turbine** blade uses less than reasonable care in his preparation of the metal and if the ... Web Search


"manufacture of a turbine" -2006 -2



Google Home - About Google - About Google Scholar

©2006 Google

Sign in



Web Results 1 - 3 of 3 for "manufacture of a turbine" -2006 -2005 -2004 -2003 -2002 -2001 -2000. (0.21 secc

Tip: Try removing quotes from your search to get more results.

<u>Dowding & Mills - engineering, calibration & electronics services</u> ... to home for Dowding & Mills when it was called in by Nuneaton Precisions to help with a rapid response **manufacture of a turbine** rotor thrust bearing. ... www.dowdingandmills.com/trade_news_020102.htm - 13k - <u>Cached</u> - <u>Similar pages</u>

[PDF] (Microsoft Word - DAB AEME Systems - Intro & Auto Propulsion _28 ... File Format: PDF/Adobe Acrobat - View as HTML would that affect the design and manufacture of a turbine? •. What might be some of the critical design issues with a turbine due to its high operating ... personalpages.manchester.ac.uk/ staff/D.Bond/AE&ME_sys/aesys_auto.pdf - Similar pages

[PDF] Microsoft PowerPoint - Lectures 1 to 8 Auto Propulsion
File Format: PDF/Adobe Acrobat - View as HTML
affect the design and manufacture of a turbine? • What might be some of the critical design issues with a. turbine due to its high operating speeds? ...
www.mace.manchester.ac.uk/.../ug/bonello/
engineering_systems/lecture_notes/lect1_to_8_auto_propulsion.pdf - Similar pages


Try your search again on Google Book Search

"manufacture of a turbine" -2006 -2

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google



66	Real-time hierarchically distributed processing network interaction simulation						
	Wayne F. Zimmerman, Chung-I Wu January 1988 Proceedings of the 21st annual symposium on Simulation ANSS '88						
	Publisher: IEEE Computer Society Press						
	Full text available: pdf(1.26 MB) Additional Information: full citation, abstract, references, index terms						
	The Telerobot Testbed is a hierarchically distributed processing system which is linked together through a standard, commercial Ethernet. Standard Ethernet systems are primarily designed to manage non-real-time information transfer. Therefore, collisions on the net (i.e., two or more sources attempting to send data at the same time) are managed by randomly rescheduling one of the sources to retransmit at a later time interval. Although acceptable for transmitting noncritical data such as ma						
67	Osing distributed simulation for distributed application as the						
	Max Muhlhauser January 1988 Proceedings of the 21st annual symposium on Simulation ANSS '88						
	Publisher: IEEE Computer Society Press						
	Full text available: pdf(1.31 MB) Additional Information: full citation, abstract, references, citings, index terms						
	The software engineering environment DESIGN integrates several approaches for the development of distributed applications. The distributed programming language DC provides for language support. A workstation based human interface integrates programming tools such as a language sensitive editor, a distributed debugger, data evaluation tools, etc. This paper concentrates on a further approach of DESIGN: performance evaluation and prototyping on the basis of distributed simulation						
68	Application of simulation for order sequencing in flow-shop production systems Rolf Schmidt	L					
	January 1988 Proceedings of the 21st annual symposium on Simulation ANSS '88						
	Publisher: IEEE Computer Society Press						
	Full text available: pdf(1.06 MB) Additional Information: full citation, abstract, references, index terms						
	In many cases the functionality and performance of flow-shop production systems depends heavily on the selection of a suitable sequence of orders. The main objectives of order sequencing in production systems are minimization of set-up times, continuous and optimal use of capacities, reliability of delivery, minimization of stock and throughput time as well as avoidance of undue system states. The complexity of the task of order sequencing usually requires the employment of heuri						
69	System-level simulation of a next generation, multi-sensor concurrent signal						
	processor						
	James F. Engler January 1988 Proceedings of the 21st annual symposium on Simulation ANSS '88						
	Publisher: IEEE Computer Society Press						
	Full text available: pdf(967.75 KB) Additional Information: full citation, abstract, references, index terms						
	A new generation of processors is now emerging which addresses the modular processing requirements for a wide range of multispectrum applications envisioned for the late-20th/early-21st century. Due to the complexity of interaction among software modules						

configurations support application requirements. This paper demonstrates how simulation

and hardware devices simulation techniques are required to verify that specific

results can provide useful information for validation objectives. For th ...

	Ada simulation technology - methods and metrics John E. Melde, Philip G. Gage January 1988 Proceedings of the 21st annual symposium on Simulation ANSS '88 Publisher: IEEE Computer Society Press Full text available: 定 pdf(1.53 MB) Additional Information: full citation, abstract, references, index terms
	This paper describes the impact of the Ada programming language on the development and use of simulation models. Based upon the development in Ada of a discrete-event simulation package (A*SIM), Ada is shown to provide numerous language features and methodologies that are ideally suited for modeling and simulation. Productivity and performance metrics collected during development and extensive use of A*SIM are also presented to provide quantitative comparisons of Ada-based modeling and simu
71	A proposed college curriculum in simulation
	Bevlee A. Watford, D. L. Kimbler January 1988 Proceedings of the 21st annual symposium on Simulation ANSS '88 Publisher: IEEE Computer Society Press Full text available: pdf(587.03 KB) Additional Information: full citation, abstract, references, index terms
	The status of simulation education at Clemson University is investigated with respect to the current requirements of industry use of simulation as an analytical tool. A sequence of courses addressing all phases of the simulation analysis and modeling procedure is described. A taxonomy of simulation topics by area and curriculum level is provided. A survey of industry simulation analysts is utilized to assist in specifying the proposed educational requirements to ensure that Clemson industri
72 �	Algorithms for HLA-based distributed simulation cloning Dan Chen, Stephen J. Turner, Wentong Cai, Boon Ping Gan, Malcolm Yoke Hean Low October 2005 ACM Transactions on Modeling and Computer Simulation (TOMACS), Volume 15 Issue 4 Publisher: ACM Press Full text available: pdf(1.34 MB) Additional Information: full citation, abstract, references, index terms
	Distributed simulation cloning technology is designed to analyze alternative scenarios of a distributed simulation concurrently within the same execution session. One important goal is to optimize execution by avoiding repeated computation among independent scenarios. Our research is concerned with the cloning of High Level Architecture (HLA)-based distributed simulations; a federate may spawn clones to explore different scenarios at a decision point. This article introduces the cloning mechanis
	Keywords : High level architecture, distributed simulation cloning, incremental cloning, runtime infrastructure

73 Efficient simulation of buffer overflow probabilities in jackson networks with feedback

Sandeep Juneja, Victor Nicola

October 2005 ACM Transactions on Modeling and Computer Simulation (TOMACS),

Volume 15 Issue 4

Publisher: ACM Press

Full text available: 🔁 pdf(257.13 KB) Additional Information: full citation, abstract, references, index terms

Consider a Jackson network that allows feedback and that has a single server at each queue. The queues in this network are classified as a single 'target' queue and the remaining 'feeder' queues. In this setting we develop the large deviations limit and an asymptotically efficient importance sampling estimator for the probability that the target queue overflows during its busy period, under some regularity conditions on the feeder queue-length distribution at the initiati ...

Keywords: Importance sampling, Jackson networks, asymptotic optimality, queueing networks, rare event simulation, variance reduction

74 Distinguishing simulation games from simulators by considering design characteristics

Viknashvaran Narayanasamy, Kok Wai Wong, Chun Che Fung, Arnold Depickere November 2005 Proceedings of the second Australasian conference on Interactive entertainment IE2005

Publisher: Creativity & Cognition Studios Press

Additional Information: full citation, abstract, references Full text available: pdf(64.54 KB)

The advent of powerful personal computers has made it possible for home users to experience simulation technology through Simulation Games (a.k.a. Sims). In recent years, the cross-boundary transfusion of technology along with other reasons has contributed towards the confusion, as to what makes a Simulation Game and what makes a Simulator. This paper provides a definitive comparison of the similarities and differences involved in Simulation Game and Simulator design. This paper also introduces ...

Keywords: computer simulation games, simulators

75 A VISUAL ENVIRONMENT FOR DISTRIBUTED SIMULATION SYSTEMS

James H. Graham, Adel S. Elmaghraby, Irfan Karachiwala, Hussam Soliman January 1996 ACM SIGSIM Simulation Digest, Volume 25 Issue 3

Publisher: ACM Press

Full text available: 🛱 pdf(919.47 KB) Additional Information: full citation, abstract, references

Parallel and Distributed Simulation (PADS) algorithms are typically categorized to belong to one of two categories. They are either conservative or optimistic with respect to the method of handling causality. Conservative systems strictly preserve causality, while optimistic systems detect and correct causality errors when they occur. Time Warp is the basis of optimistic algorithms where rolling back the simulation clock allows the simulation to correct for errors. The Global Virtual Time ...

76 Simulation documents available from NTIS

Tuncer I. Ören

October 1975 ACM SIGSIM Simulation Digest, Volume 7 Issue 1

Publisher: ACM Press

Additional Information: full citation, abstract Full text available: pdf(1.03 MB)

What is NTIS: The NTIS (National Technical Information Service) of the U.S. Department of Commerce is a central source for the public sale of (i) Government-sponsored research and development reports, (ii) Government analyses prepared by Federal agencies, their contractors or grantees, (iii) Federally sponsored translations, and (iv) some reports written in foreign languages. The NTIS reports exist in paper copy (PC) or in micro-riche (MF) and are available indefinitely. NTIS ships about ...

77 Ladder queue: An O(1) priority queue structure for large-scale discrete event

simulation

Wai Teng Tang, Rick Siow Mong Goh, Ian Li-Jin Thng

July 2005 ACM Transactions on Modeling and Computer Simulation (TOMACS), Volume

15 Issue 3 Publisher: ACM Press

Full text available: pdf(2.51 MB)

Additional Information: full citation, abstract, references, index terms

This article describes a new priority queue implementation for managing the pending event set in discrete event simulation. Extensive empirical results demonstrate that it consistently outperforms other current popular candidates. This new implementation, called Ladder Queue, is also theoretically justified to have O(1) amortized access time complexity, as long as the mean jump parameter of the priority increment distribution is finite and greater than zero, regardless of its varia ...

Keywords: Pending event set implementations, calendar queue, priority queue

78 Invited papers: A tutorial view of simulation model development

Richard E. Nance

April 1984 ACM SIGSIM Simulation Digest, Volume 15 Issue 2

Publisher: ACM Press

Full text available: 🔁 pdf(655.48 KB) Additional Information: full citation, abstract, references

Working from the background of simulation language developments, we develop an understanding of the current status of simulation model development. Factors characterizing the current status include a shift in emphasis from program to model, more commitment to modeling tools, and the lingering impedance of simulation language isolation. Current and future needs are identified. Specific approaches to meeting these needs are cited in an extensive description of current research, and in summary we c ...

79 Contributed paper: The discrete event simulation computer - DESC

Meir Barel

April 1984 ACM SIGSIM Simulation Digest, Volume 15 Issue 2

Publisher: ACM Press

Full text available: pdf(900.37 KB) Additional Information: full citation, abstract, references

Simulation of large models on digital computers is often limited by the high computational expenses. The Discrete Event Simulation Computer (DESC) reported here improves simulation performance through an exploitation of parallelism inherent in simulation, with regard to list processing, random number generation, statistical analysis and program control. The DESC consists of a set of nodes that communicate via FIFO-buffered channels (i.e. do not share memory among nodes). In order to achieve high \dots

80 Validation: the bottleneck in system simulation

October 1976 ACM SIGSIM Simulation Digest, Volume 8 Issue 1

Publisher: ACM Press

Full text available: 📆 pdf(488.81 KB) Additional Information: full citation, abstract, references

In simulation exercises some degree of validation is necessary in order to create confidence in the results obtained. Experienced users of generalized simulation software and commercially available simulation tools often find that the majority of their simulation efforts are localized in the validation cycle. Discussed in this paper are some of the factors which have caused the validation process to become more complicated and more time consuming. This paper also summarizes the major problems wi ...

Result page: <u>previous</u> <u>1</u> <u>2</u> <u>3</u> **4** <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> next Results 61 - 80 of 200

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

	Туре	L#	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1349	(manufacture same turbine) and (power same generat\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 15:30
2	BRS	L2	227	(manufacture same turbine) and (power same generat\$3) and (turbine same instal\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 15:32
3	BRS	L3	309	(manufacture same turbine same (ID or identification))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 15:32
4	BRS	L4	0	(manufacture same turbine same (ID or identification)) and (power adj gener\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 15:32
5	BRS	L5	63	(manufacture same turbine same (ID or identification)) and (power same gener\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 15:33

	Туре	L#	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	309	(manufacture same turbine same (ID or identification))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 15:48
7	BRS	L7	792		US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 15:48
8	BRS	L8	355	(manufacture same (ID or identification)) and	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 15:49
9	BRS	L9	2	(manufacture same (ID or identification)) and (turbine same (ID or identification)) and simulation	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 15:50
10	BRS	L10	361		US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:08

	Туре	L#	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	28	703/7.ccls. and turbine	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:08
12	BRS	L12	4	703/7.ccls. and turbine and manufacture	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:10
13	BRS	L13	0	705/7.ccls. and (manfacture same (ID or identification))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:11
14	BRS	L14	0	705/7.ccls. and (manfacture and (ID or identification))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:11
15	BRS	L15	0	"705"/\$.ccls. and (manfacture and (ID or identification))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:11

	Туре	L#	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	3625	''705"/\$.ccls. and (manufacture and (ID or identification))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:11
17	BRS	L17	601	"705"/\$.ccls. and (manufacture same (ID or identification))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:12
18	BRS	L18	13	''705"/\$.ccls. and (manufacture same (ID or identification)) and turbine	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:12
19	BRS	L19	7	"705"/\$.ccls. and (manufacture same (ID or identification)) and turbine and simulation	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:16
20	BRS	L20	8	"705"/\$.ccls. and (company same (ID or identification)) and turbine and simulation	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:17

	Туре	L#	Hits	Search Text	DBs	Time Stamp
21	BRS	L21		"703"/\$.ccls. and (company same (ID or identification)) and turbine and simulation	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	2006/06/27 16:17